

**"A facility for the physical and chemical treatment of coltan in Kivu and application studies",
a Research Project for Development (RPD) funded by the Higher Education and Research
Academy of Belgium (ARES) Jan 2019 – Aug 2024**

This 0.5 M€ [RPD](#) project involved the university of Namur and the university of Liège in Belgium and two partner institutions in Bukavu, capital of the South Kivu Province of the DRC: the Higher Education Pedagogical Institute (ISP) and the Catholic University of Bukavu (UCB).



A man gets out from a mine gallery dug by hand into a hillside. He carries a bag of ores on his back

The artisanal mining sector in the Democratic Republic of Congo (DRC) supplies an important fraction of strategic metals that are critically needed in modern technology. This activity sector directly or indirectly employs hundreds of thousands of people in remote locations of the Eastern provinces of the DRC.

This sector has been widely reported for its deplorable working conditions, often under the threat of armed militias. As a result, international legislation has gradually been formulated to impose due diligence on companies sourcing metal minerals from conflict zones. A significant challenge these measures address is the traceability of minerals in the DRC. In parallel, the Congolese government has introduced a new mining code in 2018. Among its many provisions is the requirement for natural resources to undergo local processing before export.

Conceived in this context, the present Research Project for Development specifically focused on coltan, a mineral rich in tantalum (Ta) and niobium (Nb) abundantly found in the North and South Kivu provinces. The target audience of the research plan included workers at the first stages of the coltan supply chain up to traders. During seven campaigns in artisanal mining zones, on-site interviews were conducted to study the relationships among the various actors of the supply chain, to understand their perceptions of the mining code developed in Kinshasa, and to assess their feeling about the numerous local and international interventions already devoted to their situation. The research highlighted perverse impacts of ostensibly beneficial measures. For example, women excluded from mining activities for obvious protective reasons were relegated to poorly paid support roles. Stark social inequalities are evident along the supply chain, with the poorest groups being those directly involved in ground operations (diggers, porters, and washers). Among these actors, diggers are the most indebted and therefore compelled to work tirelessly. Numerous comments and recommendations targeting this audience have been formulated [1].



Mineral nuggets are washed in a puddle to remove the lightest particles

Another objective of the project was to characterize the extracted minerals. Using an X-ray fluorescence spectrometer, the tantalum, niobium, and other metal contents of well-identified samples were determined. These measurements feed in a database integrating location, topography, and chemical characterization, which are crucial for coltan traceability. Chemical mapping aims helping artisanal miners to assess the true market value of their production, which is currently set by the traders based solely on the tantalum content.



Magnetic pre-treatment of samples specifically used to eliminate iron oxide particles

During the project, a new research laboratory, named Unit for Innovative Science and Technology in Materials and Environment (URSTIME), has been created at ISP/Bukavu. This unit is open to the mining sector and has conducted analyses revealing that coltan residues from physical pre-treatment contain sufficient quantities of transition metals and rare earths to be exploited further.

To comply with the obligations of the mining code, part of the project focused on purifying minerals under the conditions present in the DRC. It was demonstrated that coltan dissolution via fluoride or alkaline leaching achieves an extraction yield similar to industrial processes that rely on highly polluting hydrofluoric acid. Additionally, the research showed that tantalum and niobium ions can subsequently be extracted using organic solvents or amines, with selective ion stripping based on the solution pH. These promising findings

have resulted in a PhD thesis [2] achieved by a Congolese researcher and nine publications [3-11] in international journals. A pilot plant is yet to be constructed to demonstrate the overall efficiency of the process, contingent on funding availability through URSTIME.

Finally, the project explored new application niches for tantalum and niobium that require minimal quantities of these resources, potentially strengthening the coltan sector by reducing its dependence on current market dynamics. Computational simulations conducted from Bukavu on supercomputers in Belgium revealed that perovskites such as KNbO_3 , NaNbO_3 , and AgNbO_3 have ferroic properties comparable to lead-based perovskites. Ferroic materials are central for the design of non-volatile memory devices, among other high-tech applications. Given that lead, recognized as environmentally hazardous, may require authorization under the REACH regulation as of January 2024, finding alternatives to lead-based perovskites is crucial. Alkaline niobates and tantalates could serve as these alternatives. Notably, the perovskites KNbO_3 and KTaO_3 can be synthesized from pure tantalum and niobium oxides, which were produced during the doctoral thesis using a well-established technique. This research yielded a master's thesis [12] and two publications [13-14].

This project received the support of the International Organization for Chemical Sciences in Development (<http://www.iocd.org>).

-
1. E. Maombi, A. Mushagalusa, G. Batano, M.R. Bashwira, "Institutions des réformes minières et perceptions des exploitants miniers artisanaux du coltan à Numbi (Sud-Kivu, Est de la RDC)", dans "[Conjonctures de l'Afrique Centrale 2021](#)", ed. R. Ndayiragije, S. Alidou, A. Ansoms et S. Geenen, (Editions L'Harmattan, Paris, 2021) 159-189.
 2. A. Shikika, "Extraction, purification, et séparation du tantale et du niobium contenus dans le coltan de Kivu, RDC", Doctoral thesis in engineering sciences and technology (University of Liège, Belgium, 16 November 2023).

3. A. Shikika, M. Sethurajan, F. Muvundja, M.C. Mugumaoderha, and St. Gaydardzhiev, "[A review on extractive metallurgy of tantalum and niobium](#)", Hydrometallurgy 198 (2020) 105496 pp. 13.
4. A. Shikika, F. Muvundja, M.C. Mugumaoderha, and St. Gaydardzhiev, "[Extraction of Nb and Ta from a coltan ore from South Kivu in the DRC by alkaline roasting – thermodynamic and kinetic aspects](#)", Mineral Engineering 163 (2021) 106751 pp. 11.
5. A. Shikika, F. Zabene, F. Muvundja, M.C. Mugumaoderha, J.L. Colaux, M. Aatach, and St. Gaydardzhiev, "[Extraction of Ta and Nb from a coltan bearing ore by means of ammonium bifluoride fluorination and sulfuric acid leaching](#)", Minerals 11 (2021) 1392 pp. 17.
6. A. Shikika, F. Zabene, F.A. Muvundja, M.C. Mugumaoderha, M. Aatach, and St. Gaydardzhiev, "[Efficient extraction of Ta and Nb from a coltan ore through alkaline roasting, water leaching, precipitation, and oxalic acid leaching](#)", J. Sust. Metall. 8 (2022) 1932-47.
7. A. Shikika, M. Sethurajan, F. Muvundja, M. Mugumaoderha, and St. Gaydardzhiev, "[Corrigendum to 'A review on extractive metallurgy of tantalum and niobium'](#) [Hydrometallurgy 198 (2020) 105496]", Hydrometallurgy 223 (2024) 106219 pp. 3.
8. A. Shikika, F.A. Muvundja, M.C. Mugumaoderha, M. Aatach, and St. Gaydardzhiev, "[Separation and purification of Ta and Nb from ammonium bifluoride leachates using Methyl Isobutyl Ketone, 2-Octanol, and Aliquat 336](#)", J. Sust. Metall. 10 (2024) 1542-58.
9. A. Shikika and St. Gaydardzhiev, "[Solvent extraction of tantalum and niobium from oxalic leachates: a novel technique of colombo-tantalite ores processing](#)", in "XXXI International Minerals Processing Congress" (2024) 1733-40.
10. A. Shikika, F. Muvundja, M. Mugumaoderha, and S. Gaydardzhiev. "[Fluorination coupled to sulfuric acid leaching for efficient extraction of Ta and Nb from Numbi coltan ore \(South-Kivu, DRC\)](#)", World of Metallurgy - ERZMETALL 78 (2025) 120-26.
11. A. Shikika, N. Aokowa, S. Ngayirwa, A. Mushamalirwa, G. Ameli, I. Maluzi, C. Muntu wa Mwami, F. Zabene, F.A. Muvundja, M.C. Mugumaoderha. "[Characterization and geochemical fingerprinting of columbite-tantalite minerals from South Kivu Province \(DRC\) using portable XRF techniques](#)", Resource Geology 2025 (2025) 75:e70014.
12. J. Milengezi, "Modélisation au sein de la DFT des propriétés structurales, électroniques et dynamiques de pérovskites XMO_3 ($X = K, Ag$; $M = Nb, Ta$) dérivées du Coltan", Master thesis in physics (University of Burundi, Bujumbura, 28 March 2023).
13. S. Amisi, Ph. Lambin, and Ph. Ghosez, "[Structural and dynamic phase transitions of \$NaNbO_3\$ from first-principles calculations](#)", Phys. Rev. Mater. 7 (2023) 024408 pp. 10.
14. H. Zhang, K. Shapovalov, S. Amisi, and Ph. Ghosez, "[Lattice-distortion couplings in antiferroelectric perovskite \$AgNbO_3\$ and comparison with \$PbZrO_3\$](#) ", Phys. Rev. B 110 (2024) 064305 pp. 12.